


Custom Made Control Panels and Harnesses

Our Design and Engineering department is available for assistance in new product development. Small to large panels and harnesses with your specifications or ours. CNC machine cut, engraved and assembled panels. Mold machines for insert and injection molding for harnesses. Examples below:



Give Sales a call or email prints, we will be glad to look them over.
 Mar-Lan Industries
 2631 Myrtle Springs Ave.
 Dallas, TX 75220
 214-357-6571
 sales@marlanindustries.com

	Page #
Custom Design	2
Plugs & Receptacles	3 & 4
Fuses and Fuse holders.....	5
Circuit Breakers	6
Misc Accessories	7
Switches.....	8
Panels	9 & 10
Harnesses.....	11

MOLDED FLAT PLUGS & RECEPTACLES

Molded plugs and receptacles have applications in automotive marine and industrial products. Mated male and female ends on 12" wire lengths.

5002 two pole connectors male and female



5003 three pole connectors male and female




5004 four pole connectors male and female



5 POLE CONNECTOR

The female end is connected to the towing vehicle when the trailer is equipped with a surge braking system. It also can be used with the standard flat four conductor trailer connector.


5008 five pole connectors
5008F-04 female 48"
5008M-01 male 12"



MOLDED FLAT PLUGS & RECEPTACLES and HARNESSES

Molded on one end and blunt cut on the other, have applications in automotive, marine and industrial products.

5005 Female 48"
5006 Male 12"
5007 25' wishbone trailer harness



10 GA 2 WIRE TROLL MOTOR QUICK DISCONNECT

Trolling Motor Quick Connect/Disconnect features 10 gauge heavy-duty connectors. It includes a plug and socket. It can be used on small boats and canoes for wiring a trolling motor that can be quickly connected and disconnected.



MAR204 10ga Quick Connect/Disconnect with butt connectors

MAR204C Packaged for Retail Sales

EIGHT WAY PIGTAIL HARNESS FEMALE

2, 10ga leads, black and red, and 6, 16ga leads purple, grey, lit. blue, tan, brown/white and yellow/red. Custom lengths available Mates with part number 6108.



6107-02 Pigtail 8 way female 2 feet
6107-03 Pigtail 8 way female 3 feet

10 GA TROLLING MOTOR QUICK DISCONNECT WITH 30 AMP FUSE HOLDER

10-Gauge heavy-duty connectors with 30 Amp fuse holder for wiring trolling motor for small boats and canoes. A 30 Amp fuse is included.



MAR205 10ga Quick Connect/Disconnect with fuse and butt connectors

MAR205C Packaged for Retail Sales

EIGHTWAY PIGTAIL HARNESS MALE

Wire gauge and colors same as the 6107 above. Mates with the 6107 and the I/O Engine harness 6118. Custom lengths available



6108-02 Pigtail 8 way male 2 feet
6108-03 Pigtail 8 way male 3 feet

*All molded plugs and receptacles can be molded to your specifications of wire color or lengths!
Call or email your Specifications
214-357-6571 or sales@marlanindustries.com*

PLUGS & RECEPTACLES

TROLL PLUG RECEPTACLES

Receptacles are molded with flexible PVC at terminal location for easy plug-in alignment. Mounting surface on receptacles are molded with rigid polypropylene. Fits 1 1/8" diameter hole, #10 mounting holes and 2 1/2" x 1 3/4" faceplate.

TWO WIRE RECEPTACLES

- 5011-02 12 v 10g 2 wire female
- 5011-02C Packaged for Retail
- 5011-02-2 12 v 10g 2 wire female w/connector
- 5011-02-2C Packaged for Retail
- 5011-28 12 v 8ga 2 wire female
- 5011-28C Packaged for Retail
- 5011-28-2 12 v 8g 2 wire female w/connector
- 5011-28-2C Packaged for Retail
- 5012 Replacement Cap
- 5012C Replacement Cap



THREE WIRE RECEPTACLES

- 5011-03 12/24 v 10g 3 wire female
- 5011-03C Packaged for Retail
- 5011-03-2 12/24 v 10g 3 wire female w/connector
- 5011-03-2C Packaged for Retail
- 5011-38 12/24 v 8g 3 wire female
- 5011-38C Packaged for Retail
- 5011-38-2 12/24 v 8g 3 wire female w/connector
- 5011-38-2C Packaged for Retail
- 5012 Replacement Cap
- 5012C Packaged for Retail



TROLL PLUGS female

These plugs are also molded with flexible PVC at terminal location for easy plug-in alignment

Two wire female plugs

- 5010-12 12 volt, 10ga 2 wire female
- 5010-12C Packaged for Retail
- 5010-12-2 12 volt, 10ga 2 wire female w/connectors
- 5010-12-2C Packaged for Retail



Three wire female plugs

- 5010-13 12 volt, 10ga 3 wire female
- 5010-13C Packaged for Retail
- 5010-13-2 12 volt, 10ga 3 wire female w/connectors
- 5010-13-2C Packaged for Retail



TROLL PLUGS male

Plugs are molded with flexible PVC at terminal location for easy plug-in alignment.

TWO WIRE PLUGS

- 5010-02 12 volt, 10ga, 2 wire
- 5010-02C Packaged for Retail
- 5010-02-2 12 volt, 10ga, 2 wire w/connectors
- 5010-02-2C Packaged for Retail
- 5010-28 12 volt, 8ga, 2 wire
- 5010-28C Packaged for Retail
- 5010-28-2 12 volt, 8ga, 2 wire w/connectors
- 5010-28-2C Packaged for Retail



THREE WIRE RECEPTACLES

- 5010-03 12/24 volt, 10ga, 3 wire male
- 5010-03C Packaged for Retail
- 5010-03-2 12/24 volt, 10ga, 3 wire male w/connectors
- 5010-03-2C Packaged for Retail
- 5010-38 12/24 volt, 8ga, 3 wire
- 5010-38C Packaged for Retail
- 5010-38-2 12/24 volt, 8ga, 3 wire w/connectors
- 5010-38-2C Packaged for Retail



ACCESSORY SOCKET

Socket is made with durable polypropylene plastic and all brass contacts to resist corrosion. Mounts in 1 1/8" hole with #10 mounting holes. 1 1/4" x 2" face plate, 6" leads, 12 volt.



- 5250 Accessory Socket w/cap
- 5250C Packaged for Retail
- 5249 Replacement cap only

ACCESSORY SOCKET WITH BATTERY CLIP

Socket made with durable polypropylene plastic and all brass contacts to resist corrosion.



- MAR208 Accessory Socket w/Battery Clip
- MAR208C Packaged for Retail Sales

Need to add connectors or rings?

Give us a Call

214-357-6571

ACCESSORY PLUG

Plug with 4 foot cord, attach to 12 volt portable lights, appliances ...etc. Fits the 5250 socket.




- 5251 Accessory Plug
- 5251C Packaged for Retail Sales

AGC GLASS FUSES

Medium acting, standard for cars, trucks, boats. All amperages are 1 1/4" long with 1/4" diameter. Last two numbers indicate amperage of fuse. 5 fuses per pack. Fit in fuse holder series 2010, 2011 and 2013.


- 2000-10
- 2000-15
- 2000-20
- 2000-30
- 2000-40
- 2000-50



ATO FUSES

Fuses are standard for 12 volt application on cars, trucks, and boats. Last two numbers in part number indicate amperage of fuse. 5 fuses per pack.

- 2001-05
- 2001-10
- 2001-15
- 2001-20
- 2001-30
- 2001-40



FUSE LOOPS WITH COVERS

Fuse covers are molded of high strength polypropylene for heat, oil and chemical resistance. Both hinged and closer edge will withstand many uses. Holders for 2000 series fuses.

- 2010-10-30
- 2010-12-20
- 2010-14-15
- 2010-16-10



Available in Clear #2008 and Yellow #2009

ATO FUSE HOLDER

Made of flexible PVC plastic, molded to 14 gauge marine 105°C red wire, 8" long. Last two numbers indicate gauge of wire used. Fuse not included

- 2012-10
- 2012-12
- 2012-14
- 2012-16



WATERTIGHT FUSE LOOPS

In-line fuse loops are made with 8 - 16 gauge marine 105°C red wire 8" long, with non-breakable heat resistant plastic molded directly to the wire. This push together loop is great around damp and dusty environments. Holders for 2000 series fuses

- 2011-08-50
- 2011-10-30
- 2011-12-20
- 2011-14-15
- 2011-16-10



ATO FUSE BLOCK

This fuse block accommodates 14 circuits, can be interlocked with more blocks to create unlimited fuse protection. Fuses not included.

4041



DUAL WATERTIGHT FUSE LOOP

Made with the same quality materials as our single, this 10" loop comes with a pocket for a spare fuse, enabling you to get back underway with a minimum of fuss. Holders for 2000 series fuses

- 2013-10-30
- 2013-12-20
- 2013-14-50



PANEL MOUNT FUSE HOLDER

These holders have 1/4" slip-on male tabs, mount in 1/2" diameter hole, in panel material up to 1/4" thickness. Twist lock cap, rubber washer and mounting nut included. Fuse not included.

2100



*All small parts available on skin packaged cards!
To identify these parts we add a "C" to the end of the part number.
Contact Customer Service with your order today!
Call @ 214-357-6571 Fax 214-902-8548
or email customerservice@marlanindustries.com*

CIRCUIT BREAKERS

PANEL MOUNT CIRCUIT BREAKER

Mounts in 1/2" diameter hole, up to 1/4" panel thickness. Mounting hardware included. #8 brass screw terminals.



- 2200-05
- 2200-10
- 2200-40
- 2200-50

PANEL MOUNT CIRCUIT BREAKER

These breakers have 1/4" male slip-on tabs. Mount in 3/8" diameter hole, up to 1/4" panel thickness. Mounting hardware included.



- 2205-05
- 2205-10
- 2205-20
- 2206 semi clear cover

IN-LINE CIRCUIT BREAKER

Breakers have manual reset button (meeting marine specs) gives overload protection in marine and automotive applications. Solid brass nuts included for #10 terminal mounting bolts.



- 2201-20
- 2201-35
- 2201-40
- 2201-50
- 231101HB (2 stud Covers sold separately)

CIRCUIT BREAKER BRACKET

Insulated brass bracket for 2201 series in-line circuit breaker, allows for mounting breaker directly to battery post for easy access. Order bracket by itself or with a circuit breaker, see below for part numbers.



- BRACKET ONLY
- 2202BP-RED

BRACKET & CIRCUIT BREAKER

Insulated brass bracket and 2201 series in-line circuit breaker are included together, allows for mounting breaker directly to the battery post for easy access. Last two numbers indicates the circuit breaker amperage.



- 2201-CB-KIT-40
- 2201-CB-KIT-50

BATTERY TERMINAL COVER

Covers circuit breaker, bracket and battery terminals at the battery.



- BATBOOTRED

BRACKET, CIRCUIT BREAKER and BATTERY TERMINAL COVER

Insulated brass bracket, 2201 series in-line circuit breaker, and battery terminal cover allows for mounting breaker directly to battery post for easy access. Last two numbers indicate circuit breaker amperage.



- 2201BOOTKIT-40
- 2201BOOTKIT-50

All small parts available on skin packaged cards!
All larger parts and harnesses are available in an individually labeled box.
To identify these parts we add a "C" to the end of the part number.



Contact Customer Service with your order today!
Call @ 214-357-6571 Fax 214-902-8548
Email customerservice@marlanindustries.com



TERMINAL BLOCK

Brings heavy wire connections to one location. Ideal for use on a 6ga, 4 wire troll harness, or as a common ground point. 7/16" divided positions with #10 screw terminals.

- 2404 - 4 Terminal
- 2406 - 6 Terminal
- 2408 - 8 Terminal



DRAIN PLUG - FLIP TOP

Highly visible orange drain plug. Drain plug made of lightweight plastic that floats for easy retrieval. Flip down to tighten and lock in place, lift up to loosen and pull out of drain hole.

5049-03



10 GA WIRES WITH BATTERY CLIPS

10-Gauge black and red wires with Battery clip for any 12 Volt applications



- MAR207 w/Battery Clip
- MAR207C Packaged for Retail Sales

ACCESSORY SOCKET

Our accessory socket is made with durable polypropylene plastic and an inner ring of all brass to resist corrosion and for a greater contact surface. Mounts in 1 1/8" hole with #10 mounting holes. 1 1/4" x 2" face plate, 6" leads, 12 volt.

- 5250 Accessory Socket w/cap
- 5249 Replacement cap only



INDICATOR LIGHT

12 volt I.D. lights have 18ga. 5 1/2" leads. Black nylon body with 3/8" bezel. Mounts in 5/16 hole up to 1/4" thick panel. Includes push on locking clip. Bulb is not replaceable.

- 7115-02 Red
- 7115-03 Amber
- 7115-06 Green
- 7115-07 Blue



ACCESSORY SOCKET WITH BATTERY CLIP

Mar-Lan's accessory socket made with durable polypropylene plastic and all brass contacts to resist corrosion with added battery clips for quick connection and disconnections.



- MAR208 Accessory Socket w/Battery Clip
- MAR208C Packaged for Retail Sales

UTILITY LIGHT

Black bezel 2 1/4" square with 5" leads. 12 volt bulb can be replaced. Mounts into a 2" hole.

7124



ACCESSORY PLUG

Plug with 4 foot cord, attach to 12 volt portable lights, appliances ...etc. Fits the 5250 socket.

5251



INSTRUMENT HOLE COVER

Attractive cover leaves option for a gauge to be added or covers up where one was removed. Backup bracket and #8 stainless steel screw are included. Small is 2" and large is 3 1/2".

- 5300-01 Small hole cover and bracket
- 5301-01 Large hole cover and bracket



SNAP CAPS AND BOTTOM WASHER

Covers unsightly panel mounting screws. Black cap with bottom washer. 4 sets per package.

5380 set



SWITCHES

TOGGLE SWITCHES

All the toggle switches have a black plastic flat toggle, metal neck, metal back up nut and plastic dress nut. Mounts in 1/2" hole up to 1/4" thick material. .250 quick connect male terminals 15amp at 12volt.



7000 (A) on-off SPST

7001 (B) on-off-on DPDT

7002 (C) on-off-on SPDT

7003 (C) (on)-off-(on) SPDT

7004 (B) (on)-off-(on) DPDT

7005 (A) (on)-off SPST



7050 Black rubber boot



DP-500 Toggle Switch hole cover

IGNITION SWITCH OFF-ON-START

3 pole with #10 screw terminals. Mounts in 13/16" hole, up to 1/2" thick panel. Chrome plated brass dress nut.



7100

IGNITION SWITCH ACCY-OFF-ON-START

4 pole with .250 male quick connects. Mounts in 13/16" hole up to 1/2" thick panel. Chrome plated brass dress nut.



7101

PUSH-PULL SWITCH

3 position OFF-ON-ON with .250 male quick connects. 3/8" hole up to 1" thick material.



7110

CONTURA ROCKER SWITCHES

The Contura style black rocker switches for most used functions. Moisture seal for marine use. .250 quick connect male terminals. Mounts in 13/16" x 1 1/2" cut out, up to 1/4" thick material. Available in the following



7410 (C) on-off SPST

7411 (D) on-off-on DPDT

7412 (A) on-off-on SPDT

7413 (A) (on)-off-(on) SPDT

7414 (D) (on)-off-(on) DPDT

7415 (C) (on)-off SPST

7417 (E) on-off SPST lighted

7418-1 (B) on-off-on SPDT lighted

7418-3 (F) on-off-on DPDT lighted

ENGINE STOP SWITCH

Comes with lanyard and has .250 male quick connects. Works on ignition or magneto systems.



7200

RED PUSH BUTTON

Switch used for as a horn button on a boat, or any other momentary function up to 15 amps. Mounts in 1/2" hole up to 1/4" material.



7106 Push button switch

71805 Cover for push button switch



Parts ready for Retail Sales

Order these parts on skin packaged cards, just add a "C"

Contact Customer Service with your order today!

Call @ 214-357-6571 Fax 214-902-8548

Email customerservice@marlanindustries.com

LIVEWELL CONTROL CENTER TIMER

Adjust OFF time from 90 seconds to 5 minutes, ON time is 30 seconds. Easy Installation Instructions included. Matt black panel with rolled edge. size 2.75" x 2.75"



6002 Livewell Control Center Timer

LIVEWELL CONTROL CENTER (BLACK PANEL)

Livewell Control Center unit with a NEW LOOK that does not include a 20' harness. Same operations as the Original Livewell Control Center. Matt black panel, size 3.25" x 5"



6001-06 New Style Panel

LIVEWELL CONTROL CENTER

The Original by Mar-Lan Ind.

Features solid state 12 volt automatic pump control unit. A time control adjust off time from 90 seconds to 5 minutes, on time is 30 seconds. A red light comes on when pump is operating. This unit will run pumps up to 8 amps. Brush sterling panel color, size is 2 1/2" x 4 3/4". Comes with 20' wire harness and installation instructions.



6000-06

REPLACEMENT TIMER

Replacement timer for the following Livewell Control Centers part numbers 6000-06 and 6001-06 these have the 4 wire plugs.



6015-08

BASS SAVER with Panel

Automatic pump control module mounts under console, dash or gunnel. Operates pumps up to 8 amps, for 30 seconds ON and 5 minutes OFF. This is a 3 wire system.



6014-06 Bass Saver with panel

BASS SAVER

Automatic pump control module mounts under console, dash or gunnel. Operates pumps up to 8 amps, for 30 seconds ON and 5 minutes OFF. Add your own on/off switch. Instructions included. This is a 3 wire system.



6014 Bass Saver

DASH PANEL STOCK

Panel features gauges for outboard engines. 8K tachometer, fuel, volt, and 80mph speedometer. Also, there are four toggle switches and panel mount fuses. This unit is splash proof and comes completely wired. Panel is engraved with Nav/Anc Lights, Bilge, Aerator, and Accessory. Panel is easy to install and comes with a speedo kit. Panel finish is matt black w 14" x h 6"



6050-01

UNIVERSAL GAUGE PANEL

Panel features gauges for outboard gas engines. 8K tachometer, fuel, volt, and 80mph speedometer. This panel can be used with the switch panels 6003 thru 6004 or it can be used by itself. Panel comes completely wired, with a speedo kit, and is very easy to install. Panel finish is matt black w 14" x h 5".



6050-03

DASH PANEL DELUXE

Panel features gauges for outboard gas engines. It has lighted rocker switches and panel mount resettable circuit breakers. Gauges are white faced with a chrome bezel, 7K tachometer, fuel, volt, and 80mph speedometer with kit. Panel is engraved with Nav/Anc Lights, Bilge, Aerator, and Accessory. Panel comes completely wired and is easy to install. Panel finish is carbon fiber w 14" x h 7 1/4".



6050-04

INSTRUMENT HOLE COVER

Attractive cover leaves option for a gauge to be added or covers up where one was removed. Backup bracket and #8 stainless steel screw are included. Small is 2" and large is 3 1/2".



5300-01 Small

5301-01 Large

PANELS

THREE SWITCH PANEL STOCK

Panel features toggle switches and panel mount fuses. This unit is engraved with Nav/Anc Lights, Bilge, and Aerator. The toggle switches and fuses are splash proof and the fuses provide overload protection. Panel comes completely wired and is easy to install. Panel finish is matt black w 3 3/4" x h 3 1/4".



6003-02

FOUR SWITCH PANEL STOCK

Panel features toggle switches and panel mount fuses. This unit is engraved with Nav/Anc Lights, Bilge, Aerator, and Accessory. The toggle switches and fuses are splash proof and the fuses provide overload protection. Panel comes completely wired and is easy to install. Panel finish is matt black w 4 3/4" x h 3 1/4".



6004-02

THREE SWITCH PANEL STANDARD

Panel features lighted rocker switches and panel mount fuses. This unit is engraved with Nav/Anc Lights, Bilge, and Aerator. The switches and fuses are splash proof and the fuses provide overload protection. Panel comes completely wired and is easy to install. Panel finish is matt black w 4" x h 4 1/2".



6003-03

FOUR SWITCH PANEL STANDARD

Panel features lighted rocker switches and panel mount fuses. The switches and fuses are splash proof. The panel is engraved with Nav/Anc Lights, Bilge, Aerator, and Accessory. The fuses provide overload protection and the panel comes completely wired and is easy to install. Panel finish is matt black w 5 1/4" x h 4 1/2".



6004-03

THREE SWITCH PANEL DELUXE

Panel features lighted rocker switches and panel mount resetable circuit breakers. This unit is engraved with Nav/Anc Lights, Bilge, and Aerator. The switches and circuit breakers are splash proof. Panel comes completely wired and is easy to install. Panel finish is matt black w 4" x h 4 3/4".



6003-04

FOUR SWITCH PANEL DELUXE

Panel features lighted rocker switches and panel mount resetable circuit breakers. The switches and circuit breakers are splash proof and the circuit breakers provide overload protection. The panel comes completely wired and is easy to install. Panel finish is matt black w 5 1/4" x h 4 3/4".



6004-04

*All above panels
come with pre-wired
components as shown
here on these pictures.*



Contact Customer Service with your order today!

Call @ 214-357-6571 Fax 214-902-8548

Email customerservice@marlanindustries.com

POWER TROLL HARNESS 12 VOLT

20' 8ga leads black and red. Red has watertight fuse holder with 30 amp fuse, ring terminals on both wires for battery. Commonly used for higher amperage draw applications.

6502



POWER TROLL HARNESS 12/24 VOLT

20' 4 leads 8ga with watertight fuse holders on both red leads. Includes 30 amp fuses and ring terminals for 2 batteries.

6504



POWER TROLL HARNESS 12/24 VOLT

Both have 4 leads 20' long. 40 amp circuit breakers on red leads, with mounting terminals for 2 batteries. A 4 position terminal block on opposite end to attach accessories. *For heavy duty use.*

6506 (6 gauge)
6508 (8 gauge)



14 PIN DEUTSCH CONNECTOR

One foot blunt cut wire leads and 14 pin deutsch connector to mate with female connector on Mercury Engines. Available in custom lengths. Full length Mercury I/O Harness available with 8 way female to connect Mercury Engine to Dash.

6123-01 01' blunt cut Pigtail
6123-18 18' Merc I/O Harness 14 pin M with 8 way F Engine to Dash
6123-65 65' Merc I/O Harness 14 pin M with 8 way F Engine to Dash



EIGHT WAY PIGTAIL HARNESS FEMALE

2, 10ga leads, black and red, and 6, 16ga leads purple, grey, lit. blue, tan, brown/white and yellow/red. 24" or 36" available
Mates with part number 6108.

6107-02
6107-03



EIGHT WAY PIGTAIL HARNESS MALE

Wire gauge and colors same as the 6107 above. Mates with the 6107 and the I/O Engine harness 6118.

6108-02
6108-03



EXTENSION FOR THE I/O ENGINE HARNESS

Male to Female 8 wire harness mates with any of our standard I/O Engine Harnesses. Standard lengths are 10', 15' and 20', Special lengths available on request.

6117-10
6117-15
6117-20



I/O ENGINE HARNESS

Has a molded 8 way on one end and round 9 way, ninth wire is tan/blue. Harness is spiral taped. Fits most inboard engines. Standard lengths are 16', 18', and 20'. Other lengths available by special order.

6118-16
6118-18
6118-20



I/O ENGINE HARNESS RECEPTACLE

This receptacle mounts on the engine to provide the monitoring of gauges and sensors. Receptacle with bracket or without bracket. Comes in 1' pigtail, and 6' harness length.

6199-01-01 1' Receptacle round
6199-02-01 1' Receptacle square mounting bracket
6199-01-06 6' Receptacle round
6199-02-06 6' Receptacle square mounting bracket



MERCURY I/O TRIM HARNESS

20' electrical connection harness to engine to raise and lower outdrive.

5320-20



MERCURY TRIM CONNECTOR ADAPTOR

This trim adaptor converts the traditional Mercury trim plug to the Delphi connector. It makes rigging and repairs just plug and go.

5321-ADP



LIGHT HARNESS

Attached to a 3 position push/pull switch. Leads are 10' to each light with fused lead to battery.

6099



2631 Myrtle Springs Ave.
Dallas, TX 75220

*Call on one of our
Authorized Distributors
listed here.*

A & M Marine

13906-B Denton Drive
Dallas, TX 75234
972-484-8434 phone
972-484-9940 fax

Donovan Marine Inc

6316 Humphreys Street
Harahan, LA 70123
800-347-4464
www.donovanmarine.com

Land "N" Sea Dist.

3131 N. Andrews Ave.
Pompano Beach, FL 33064
800-432-7652
www.landnsea.net

Sierra International

1 Sierra Place
Litchfield, IL 62056
217-324-9400
www.sierramarine.com

C & S Outboard, Inc.

2800 Hwy. 90
Crosby TX 77532
281-328-2557
www.csoutboard.com

Ellett Brothers

PO Box 128
Chapin, SC 29036
800-845-3711
www.ellettbros.com

Medart Marine Supply

124 Manufacturers Dr.
Arnold, MO 63010
314-282-2300
www.medartmarine.com

V & V Marine Products

PO Box 14957
Ft Worth, TX 76117
817-284-1125
www.vvmarine.com

Chapman Marine

2201 S.E. Indian St. A-5
Stuart, FL 34997
800-245-3622
www.chapmanmarine.com

We are looking for additional Distributors for our products and if you are interested please contact us @ 214-357-6571

**TOP SELLING
ITEMS**

Livewell Control Center
Troll Motor Plug 12V or 24V
Troll Plug Receptacle 12V or 24V
Watertight Fuse Holder
Dual Watertight Fuse Holder
Toggle Switch
Circuit Breaker
Accessory Socket 12 Volt
Circuit Breaker Bracket
Blade Type Fuse Holder
Pole Connector 12" Loop

Skin Packaged
Barcoded

Ready for Retail Sales

**Look for Mar-Lan
manufactured
products
at the following
Retail Stores**

 Academy
SPORTS+OUTDOORS

 Cabela's
WORLD'S FOREMOST OUTFITTER®

**Look for
Mar-Lan's
Troll
Harness
On Pelican
Boats**

 Pelican

MEMBER

ABYC
Setting Standards for Safer Boating®

Phone: 214-357-6571 * Fax: 214-902-8548
Control Panels * Custom Insert Molding * Electrical Parts * Wire Harnesses
sales@marlanindustries.com www.marlanindustries.com